



TATA

SIGNA 2518.K

[GET PRICE QUOTE](#)

KEY SPECIFICATIONS



TORQUE

685 NM @ 1,400 - 1,600 RPM



GVW

25 TON



POWER

178 HP @ 2,500 RPM

TATA SIGNA 2518.K 3880/CAB

Engine Displacement
5883 cc

Off-road Gradeability
30 %

Maximum Speed
60 km/h

Maximum Power
178 HP @ 2,500 rpm

Gross Vehicle Weight (GVW)
25 ton

Axle Configuration
-



[GET PRICE QUOTE](#)

TECHNICAL SPECIFICATIONS OF TATA SIGNA 2518.K 3880/CAB

PERFORMANCE		DESIGN & BUILD		COMFORT		SAFETY	
Engine	Cummins 6BT 5.9	Body Option	Deck Body	Steering	Power	Brakes	Air Brakes
Emission Norms	BS-III	Chassis Type	Chassis with Cabin	A/C	Optional	Front Axle	Extra Heavy Duty Forged I Beam Reverse Elliot Type
Engine Cylinders	6	Cabin Type	Day Cabin	Cruise Control	×	Front Suspension	Semi Elliptical Leaf Springs with Hydraulic Double Acting Telescopic Shock Absorbers
Displacement (cc)	5883	Tiltable Cabin	×	Navigation System	✓	Rear Axle	RA-109SRT
Max Power	178 HP @ 2,500 rpm	Axle Configuration	×	Driver Information Display	✓	Rear Suspension	Inverted TML Bogie
Max Torque	685 Nm @ 1,400 - 1,600 rpm	Front Tyre	10R20 - 16 PR	Telematics	✓	ABS	×
Transmission	Manual	Rear Tyre	10R20 - 16 PR	Adjustable Driver Seat	✓	Parking brakes	×
Clutch	Single Plate Dry Type 380 mm	Wheelbase (mm)	3880	Tiltable Steering	×	Power Steering	✓
Gearbox	9-Speed	Overall Length (mm)	7101	Arm-rest	×	Fog Lights	×
Fuel Tank (Litres)	300	Overall Width (mm)	2592	Seat type	Standard	Tubeless Tyres	×
Gradeability (%)	30	Overall Height (mm)	×	OTHERS			
Turning Radius (mm)	9250	Ground Clearance (mm)	×	Axle Types	Single Reduction	Seat belts	✓
Max Speed (km/h)	60	GVW / GCW (Kgs)	25000	Body Brakes	Hydraulic Brakes	Hill Hold	×
		Kerb Weight (Kgs)	11154	Chassis	Ladder Type		
		Payload (Kgs)	13846	Electricals	24 V		